

FRIEDMAN & BRUYA, INC.**ENVIRONMENTAL CHEMISTS**

Date of Report: September 29, 1995

Date Received: September 28, 1995

Project: #7238, Metro 24hr, PO M50842

**RESULTS FROM THE ANALYSIS OF WATER SAMPLES
FOR CHROMIUM, COPPER, NICKEL, ZINC
Samples Processed Using Method 3005
Results Reported as mg/L (ppm)**

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M50842	0.46	0.26	0.32	<0.05
<u>Quality Assurance</u>				
Blank	<0.05	<0.05	<0.05	<0.05
M50842 (Duplicate)	0.45	0.24	0.30	0.11
M50842 (Matrix Spike) % Recovery	92%	91%	91%	92%
M50842 (Matrix Spike Duplicate) % Recovery	87%	84%	88%	88%
Spike Blank % Recovery	87%	84%	98%	97%
Spike Level	5	5	10	5

SAMPLE CHAIN OF CUSTODY

~~BAB~~ BI
09.28.95
10:30

Company Alaskan Copper Works
Address 628 Hanford St
City, State, Zip Seattle WA 98134
Phone # (206) 382-8375

Contact GERALD Simpson

Date 9-28-95

7238	metro 24 hr	m 50842
------	-------------	---------

PROJECT LOCATION

June 1997

3200 6th Ave S.

SAMPLE DISPOSAL INFORMATION

"Rush" Please Phone Results

☐ Dispose after 30 days
☒ Return Samples
☐ Call for Instructions

[illegible]

Time

[Signature]

Received by:

Relinquished by: Ally Downing

0

Received by:

GERALD Thompson

Cathy Downing

A.C.W

FBI

9-28-95

9.28:95

10.20

10:20

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

September 29, 1995

INVOICE #95ACU0929-3

Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

RE: Project #7238, Metro 24hr, PO M50842: Results of testing requested by
Gerald Thompson, Project Leader for material submitted on September 28,
1995.

1 water sample analyzed for Chromium, Copper,
Nickel and Zinc @ \$65 per sample

\$ 65.00

Amount Due

\$ 65.00

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

September 29, 1995

**Gerald Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134**


Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on September 28, 1995 from your #7238, Metro 24hr, PO M50842 project.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



**Bradley T. Benson
Chemist**

**keh
Enclosures
ACU0929R.DOC**